



Smart Products - Smart Service - Smart Value



Edition 20
Edition 20

C A T A L O G U E

- SOME OF THE BRANDS WE STOCK -



- OUR POINT OF DIFFERENCE -

CUSTOMER SUPPORT SERVICES:

- System Design,
- On Site Support,
- Commissioning.

- HOW TO PLACE YOUR ORDER -



- GO ONLINE AT CVPLUS.COM.AU
- SEND US YOUR CONTACT INFO. FROM THE CONTACT PAGE
- WE WILL EMAIL TO YOU A USERNAME AND PASSWORD
- ONCE YOUR ORDER IS COMPLETE, AND YOU CHECK OUT, WE WILL RECEIVE YOUR ORDER AND GO THROUGH IT, CHECKING FOR PRODUCT COMPATABILITY.
- WE WILL THEN RING YOU TO ARRANGE ANY CHANGES TO YOUR ORDER, PAYMENT AND DELIVERY



- RING US TO PLACE YOUR ORDER OVER THE PHONE.
- OUR CASHIER WILL TAKE YOUR PAYMENT INFORMATION AND FORWARD YOUR INVOICE FOR DELIVERY.
- IF YOU ARE NOT CERTAIN OF EXACTLY WHAT YOU NEED, RING US AND DISCUSS YOUR SYSTEM REQUIREMENTS SO THAT WE CAN PLAN A SYSTEM FOR YOU. WE WILL THEN ARRANGE YOUR PAYMENT AND DELIVERY



- EMAIL US AT SALES@CVPLUS.COM.AU
- WE WILL RECEIVE YOUR ORDER AND GO THROUGH IT, CHECKING FOR PRODUCT COMPATABILITY.
- IF YOUR SYSTEM DESIGN IS ALL IN ORDER, THEN OUR CASHIER WILL CONTACT YOU AND TAKE YOUR PAYMENT INFORMATION AND FORWARD YOUR INVOICE FOR DELIVERY.

INDEX :

DESCRIPTION	PAGE
Projectors	4
Projection Screen	4
LCR Speakers	4
Subwoofers	5
Stereo Amplifiers	6
In Ceiling Speakers & BlueTooth	6
On Wall / Out Door Speakers	6
IT Networking & Storage	7
P.A. Speakers & Amplifiers	8
P.A. Mixers & Microphones	9
P.A. Accessories	10
CCTV Cameras, Recorders & Accessories	11–13
Intercoms	13
Apartment Intercom	14
Access Control	15
Multi-Room Audio	16
I.R.	16
AV Distribution	17
AV Extenders	18
Volume Controls	18
AV Converters	18
HDMI, PAL, Toslink & VGA Adaptors	19
F-Type & 3.5mm Mini-Jack Adaptors	20
RCA & BNC Adaptors	21
Patch Leads	22–23
Cable	23
Structured Cable Modules	23–24
TV Brackets	24
Wall Plate Inserts	25
Wall Plates and Brackets	26
Power Supplies, Power Leads and Power Boards	27

PROJECTORS

EB-W42



- 3600 ANSI
- FOR COMMERCIAL USE
- WXGA

EB-U42



- 3600 ANSI
- FOR COMMERCIAL USE
- WUXGA

EB-980W



- 3800 ANSI
- FOR COMMERCIAL USE
- WXGA

EB-990U



- 3600 ANSI
- FOR COMMERCIAL USE
- WUXGA

EH-TW5600



- 2500 ANSI
- FOR HOME THEATER USE
- 1080P RESOLUTION

EH-TW6700



- 3000 ANSI
- FOR HOME THEATER USE
- 1080P RESOLUTION
- 70,000 CONTRAST RATIO

PROJECTOR SCREENS

ELECTRIC SCREENS



- MODELS :
- PS-84-16/9E
 - PS-100-16/9E
 - PS-90-16/10E
 - PS-106-16/10E

FIXED SCREENS



- MODELS :
- PS-92-16/9F
 - PS-100-16/9F
 - PS-106-16/9F
 - PS-100-16/10F



LCR SPEAKERS

LCR-525



- POWER : 50W—100W
- FREQUENCY RANGE : 65Hz—22kHz
- IMPEDANCE : 8 OHMS
- SENSITIVITY : 90dB
- SIZE : 386 X 175 X 82MM
- CUTOUT SIZE : 365 X 155MM

LCR-625



- POWER : 80W—150W
- FREQUENCY RANGE : 40Hz—20kHz
- IMPEDANCE : 8 OHMS
- SENSITIVITY : 90dB
- SIZE : 395 X 204 X 104MM
- CUTOUT SIZE : 362 X 174MM

SUBWOOFERS

NSSW300B



- FRONT FIRING
- DRIVER SIZE : 25cm
- POWER : 250W
- FREQUENCY RANGE : 25Hz—180Hz
- SIZE : 340 X 340 X 385MM

MINIMEP10-V12



- DRIVER SIZE : 25cm
- POWER : 600W
- FREQUENCY RANGE : 40Hz—160Hz
- PASSIVE RADIATOR : 25cm



SPEAKER KITS

TEATROCMSIXPK



- DESCRIPTION : 5.1 SPEAKER KIT

FRONT - TEATRO 6F

- FLOOR STANDING 2 WAY SPEAKERS
- 2 x 6.5" MID-BASS
- 1 x 1" SOFT POLYDOME TWEETER
- POWER HANDLING : 150 Watt
- SIZE : 1000H x 210W x 290D

CENTRE - TEATRO 4C

- 2 WAY, MAGNETICALLY SHIELDED SPEAKER
- 2 x 5" MID-BASS
- 1 x 1" SOFT POLYDOME TWEETER
- POWER HANDLING : 120 WATTS
- SIZE : 155H x 385W x 215D

REAR - TEATRO

- 1 x 4" BASS
- 1 x 1" TWEETER
- POWER HANDLING : 100 WATTt

SUBWOOFER - TEATRO 10SW

- FRONT FIRING
- TUNED PORT
- 1 x 10" BASS DRIVER
- POWER : 100 WATTS
- SIZE : 395H x 340W x 400D



STEREO AMPLIFIERS

A-0240



- POWER : 40W X 2 RMS
- AUTO ON/OFF
- HIDE AWAY

A-2120



- POWER : 120W X 2 RMS
- With Remote Control
- 2 RCA inputs and 1 RCA output

A-1260



- 12 CHANNEL AMPLIFIER
- 60W RMS PER CHANNEL
- LOCAL AND GLOBAL INPUTS

BLUETOOTH & WIFI AUDIO SERIES – MUSIC FROM THE WEB, YOUR PHONE, YOUR IPAD




The BLUETOOTH SERIES digital audio range is the ideal combination of product, delivering music to one or many rooms around the home. Deliver music from your phone, tablet or internet to your speakers, all controlled by your touch screen products.

A-0905-F

A BLUETOOTH AUDIO KIT
COMPRISING OF :

- An in-wall amplifier/volume control
- 2 x 80W in-ceiling 6" coaxial speakers



A-250-BT

- POWER : 50W X 2 RMS
- BLUETOOTH
- BRIDGE MODE



A-110-BT

- 24W CHANNEL AMPLIFIER
- IN WALL INSTALLATION
- BLUETOOTH VERSION 4.2



ON WALL & IN CEILING SPEAKERS

IC-609



- POWER : 80W
- MAGNETIC COVERS
- 6.5"
- 88dB
- 8 OHMS
- 70Hz—20khZ

IC-615



- POWER : 120W
- MAGNETIC COVERS
- 6.5"
- 90dB
- 8 OHMS
- 55Hz - 20KHz

IC-815



- POWER : 140W
- MAGNETIC COVERS
- 8"
- 88dB
- 8 OHMS
- 55Hz—20khZ

IC-620



- POWER : 250W
- MAGNETIC COVERS
- 6.5"
- 87dB
- 8 OHMS
- 40Hz—20khZ

IC-820



- POWER : 300W
- MAGNETIC COVERS
- 8"
- 88dB
- 8 OHMS
- 30Hz—20khZ

PO-165-B



- POWER : 100W
- INDOOR / OUTDOOR
- 6.5"
- 89dB

PO-165-W



- POWER : 100W
- INDOOR / OUTDOOR
- 6.5"
- 89dB

IT PRODUCTS—DATA STORAGE

CCTV-HD1040



- 1TB
- 3.5" SATA3
- 64MB

CCTV-HD2040



- 2TB
- 3.5" SATA3
- 64MB

CCTV-HD3040



- 3TB
- 3.5" SATA3
- 64MB

FD64GBU3SD



- 64GB
- USB 3.0
- READ TIME : 80/MB/S

FD126GBU3SD



- 64GB
- USB 3.0
- READ TIME : 80/MB/S

NETWORK SWITCHES

TLSG1008D



- 8 PORT NETWORK SWITCH
- 8 X 10.100/1000Mbps

TLSG1016



- 16 PORT GIGABIT NETWORK SWITCH
- FULL DUPLEX TRANSFER MODE FOR 1000Mbps

TLSG1024



- 24 PORT GIGABIT NETWORK SWITCH
- RACK MOUNTABLE

DH-PFS3009-96W



- 8 PORT POE NETWORK SWITCH
- 96W
- POE ALL PORTS

DH-PFS4218-240W



- 16 PORT POE NETWORK SWITCH
- 240W
- POE ALL PORTS

DH-PFS24026-370W




- 24 PORT POE NETWORK SWITCH
- 370W
- POE ALL PORTS

WAP

UAP-AC-LITE



- GIGABIT WAP



PUBLIC ADDRESS—100V SPEAKERS

PA-PAS200WV



- WALL MOUNT
- 100V
- VOLUME CONTROL
- 8"
- MULTI-TAP

PA-PAS153DC



- IN CEILING
- 100V
- 5"
- MULTITAP

PA-PAS165DC



- IN CEILING
- 100V
- 6.5"
- MULTITAP

PA-PAS200DC



- IN CEILING
- 100V
- VOLUME CONTROL
- 8"
- MULTI-TAP

PA-PAS05ENW



- ENCLOSURE SPEAKERS
- 100V OR 8 OHMS
- 5.25"
- MULTITAP

PA-PAS05ENB



- ENCLOSURE SPEAKERS
- 100V OR 8 OHMS
- 5.25"
- MULTITAP

PA-PAS100HE



- 100V HORN SPEAKER
- 10W
- ABS RESIN

PA-PAS300HE



- 100V HORN SPEAKER
- 30W
- ABS RESIN

PA-PAS200DCS



- 8" Dual Cone Speaker
- Surface Mount
- 100V Line

PUBLIC ADDRESS—100V SPEAKERS

PA-AMP-MX60



- 60W MIXER AMP
- 100V/4 OHMS
- MIC/LINE INPUTS

PA-AMP-MX120



- 120W MIXER AMP
- 100V/4 OHMS
- MIC/LINE INPUTS

PA-AMP-MX240



- 240W MIXER AMP
- 100V/4 OHMS
- MIC/LINE INPUTS

PUBLIC ADDRESS—MIXERS

PA-MXA-2



- ACTIVE 2 CHANNEL MIXER
- GAIN CONTROLS
- RCA AND PHONO INPUTS

PA-MX-4



- ACTIVE 4 CHANNEL MIXER
- GAIN CONTROLS
- UNBALANCED PHONO INPUTS
- PHONO BALANCED OUTPUT

PA-MXA8



- ACTIVE 8 CHANNEL MIXER
- GAIN CONTROLS
- XLR AND RCA INPUTS

MICROPHONES

PA-MIC-0553R



- 16 CHANNEL WIRELESS RECEIVER
- SQUELCH/VOLUME
- UHF 654-694

PA-MIC-0553WH



- 16 CHANNEL WIRELESS MICROPHONE
- DYNAMIC MIC

PA-MIC-0553WL



- 16 CHANNEL LAPEL MICROPHONE
- GAIN CONTROLS

PA-MIC-066x



- DESK TOP MIC
- PRESS TO SPEAK
- XLR CONNECTOR



PUBLIC ADDRESS—ACCESSORIES

PA-HEB-100



- HUM FILTER
- PHONO JACK INPUTS
- PASSIVE DEVICE

PA-MQS-31



- XLR SPLITTER / COMBINER
- 3 PIN XLR
- PASSIVE DEVICE

PA-2C2M



- STEREO TO MONO
- RCA IN AND RCA OUT
- PASSIVE DEVICE

PA-2513



- XLR TO RCA ADAPTOR
- 3 PIN XLR TO RCA
- GAIN CONTROL
- PASSIVE DEVICE

PA-2514



- STEREO RCA TO XLR ADAPTOR
- GAIN CONTROL
- PASSIVE DEVICE

PA-100-R



- 100V AUDIO TO RCA
- RCA IN AND XLR OUT
- PASSIVE DEVICE

PA-VC40-100



- 100V AUDIO VOLUME CONTROL
- 40W
- 12 POSITION
- PASSIVE DEVICE

PA-XLR3 SERIES FLYLEADS



- 3 PIN, PLUG TO SOCKET
- AVAILABLE IN LENGTHS OF :
- 0.5, 1, 2, 3, 5, 10, 15 and 20m

PA-XFRM-5 TRANSFORMERS



- 100v IINPUT, 8 OHMS OUTPUT
- TAPPINGS FOR 0.5, 1, 2, &, 5 WATTS.

PA-XFRM-30 TRANSFORMERS



- 100v IINPUT, 4 OHMS & 8 OHMS OUTPUT
- TAPPINGS FOR 5, 10, 20, &, 30 WATTS.

PA PLUGS AND ADAPTORS



- XLR PLUGS & SOCKETS
- PHONO PLUGS & SOCKETS

CCTV — DVR

DVR-43AHD



- 4 CHANNEL
- AHD-H
- 1080P @ 15FPS

DVR-83AHD



- 8 CHANNEL
- AHD-H
- 1080P @ 12FPS

DVR-163NAHD



- 16 CHANNEL AHD-NH
- 180N @ 12FPS
- SUPPORTS 2 X HDD

CCTV — AHD CAMERAS

D-13022AHD



- 3.6MM LENS
- 2.0MP 1080P
- NIGHT ILLUMINATION

D-13052AHD



- 2.8—12MM LENS
- 2MP 1080P
- NIGHT ILLUMINATION

C-13022AHD



- 3.6MM LENS
- 2.0MP 1080P
- NIGHT ILLUMINATION

C-13052AHD



- 2.8MM—12MM LENS
- 2.0MP 1080P
- NIGHT ILLUMINATION

CCTV — NVR

NVR-43G-POE



- 4

- CHANNEL 5MP
- H.264/H.265
- 4 PORT POE

NVR-83G-POE



- 8 CHANNEL 4.0MP
- H.264 / H.265
- 8 PORT POE

NVR-163G



- 16 CHANNEL 4MP
- H.264 / H.265
- SUPPORTS 2 X HDD

CCTV — IP CAMERAS

D-13020-IP4



- 3.6MM LENS
- 4.0MP 1080P
- NIGHT ILLUMINATION
- POE

D-13050-IP4



- 2.8—12MM LENS
- 4.0MP 1080P
- NIGHT ILLUMINATION
- POE

C-13020-IP4



- 3.6MM LENS
- 4.0MP 1080P
- NIGHT ILLUMINATION
- POE

C-13050-IP4



- 2.8—12MM LENS
- 4.0MP 1080P
- NIGHT ILLUMINATION
- POE

D-13052-IP4



- 2.8—12MM LENS
- 4.0MP 1080P
- NIGHT ILLUMINATION
- POE

MONITORS

CCTV-19LCD11H



- 18.5"
- VGA INPUT
- 16/9 ASPECT RATIO

PSU-2.1EX8



- 8 WAY POWER SPLITTER FOR CAMERAS

PSU-2.1EX4



- 4 WAY POWER SPLITTER FOR CAMERAS

ACCESSORIES

3500



- 140MM X 120MM
- ADHESIVE AT REAR

3111



- CCTV HD BALUN
- VIDEO ONLY
- 200M OVER CAT5E
- PUSH PIN PASSIVE DEVICE

3112



- CCTV HD BALUN
- POWER & VIDEO
- 300M OVER CAT5E
- PUSH PIN PASSIVE DEVICE

CCTV ACCESSORIES — CONTINUED

2144M



- CAMERA POWER PLUG
- 2.1MM PLUG
- SCREW TERMINALS

2116



- BNC CONNECTOR
- CRIMP TYPE FOR RG59

2113



- BNC CONNECTOR
- CRIMP TYPE FOR RG6

CCTV-MIC-1



- DVR MICROPHONE


2144F



- CAMERA POWER SOCKET
- 2.1mm SOCKET
- SCREW TERMINALS

INTERCOMS

VI-0165-F4




- KIT WITH FLUSH MOUNT DOOR STATION
- 7" COLOUR MONITOR
- NIGHT ILLUMINATION

VI-0165-S4



- KIT WITH SURFACE MOUNT DOOR STATION
- 7" COLOUR MONITOR
- NIGHT ILLUMINATION

VI-0165-M4



- 7" COLOUR INTERCOM MONITOR

VI-0165-GF4



- FLUSH MOUNT DOOR STATION
- NIGHT ILLUMINATION

VI-0165-GS4




- SURFACE MOUNT DOOR STATION
- NIGHT ILLUMINATION

VI-0165-SP4



- 2 DOOR STATION SPLITTER MODULE FOR 4 WIRE SYSTEM

VI-0162-S4



- SURFACE MOUNT DOOR STATION
- NIGHT ILLUMINATION

VI-0165/IP



- SURFACE MOUNT DOOR STATION
- IP, 2 CORE WITH SMART PHONE APP

VI-0165S/IP



- SURFACE MOUNT SMART MONITOR
- IP, 2 CORE WITH SMART PHONE APP OPTION.

INTERCOMS FOR APARTMENT BUILDINGS

INTERCOMS by 




INTERCOMS & ACCESS CONTROL FOR APARTMENT BUILDINGS




VIA-S06/N



VIA-M075

VIA-G027

Outdoor Station




Touch sensor panel

VIA-G037

Features

- Color CCD camera, available night vision
- LED digital display
- Metal button in blue backlit
- Up to 16 gates station with 9999 apartments
- ID card & Key Tag for door release
- Up and Down Adjustable visual angle
- Programming room code on site
- CAT5, CAT6, UTP5E, Fibre Optic
- Dimension: 360*130*52mm

ACCESSORIES



Apartment System
VIA-S04 (Connect 4 monitors)
VIA-S06 (Connect 6 monitors)

- Connect with 4 or 6 monitors
- Dimension : 146*86*48mm
- Installation: surface mounted



Apartment System
VI-D04 Multi Door Entry Network Adapter

- Multi Door Entry Network Adapter for CAT5
- Dimension : 210*160*43mm
- Installation: surface mounted



VIA-PSU-2v3000 Power Supply

- Input voltage : AC110-260V
- Output voltage : DC 18V/3A DC12V/1A
- Dimension : 200*138*53mm
- Installation: surface mounted

ACCESS CONTROL— STRIKE LOCKS

LCK-FSL-10000



- STRIKE LOCK
- 12V OR 24V
- IP56
- HOLDING FORCE <680Kg

LCK-FSL-1015



- FAIL SAFE OR FAIL SECURE
- 12V OR 24V
- HOLDING FORCE <500Kg

LCK-FSL-20000



- FAIL SAFE OR FAIL SECURE
- 12V OR 24V
- HOLDING FORCE <750Kg

LCK-FSL-2000M



- FAIL SAFE OR FAIL SECURE
- 12V OR 24V
- HOLDING FORCE <750Kg
- MONITORED



CONTROLLERS, READERS AND KEYPADS

LCK-CON-2X



- 2 DOOR CONTROLLER
- EXPANDABLE
- BATTERY CHARGER

LCK-CON-2X/IP



- 2 DOOR CONTROLLER
- EXPANDABLE
- BATTERY CHARGER
- INTERNET ACCESS

LCK-CON-2PB




- EXPANSION BOARD FOR LCK-CON-2X AND 2X/IP
- EXTRA 2 CHANNELS FOR 2 EXTRA DOORS

LCK-BATTERY-NICAD



- 12V 7AMP ALARM BATTERY

MULTI-ROOM AUDIO & VIDEO



A-WFA-280



- Music streaming
- Built in Class D amplifier (80W X 2) connects to passive speakers.
- Easy setup
- Stream music from : Cellphone memory; USB flash drive, USB HDD; Home NAS network; External analogue audio.
- Popular online music services of millions of songs and thousands of radio stations, such as Spotify, Qobuz, Tidal, Pandora, vTuner, Napster, TuneIn, iHeartRadio etc. (note: the online service availability varies by regions)

A-4623



- High efficiency 50W X 12 @ 4 Ohm, class D amplification
- Stereo/Bridge mono
- 6 Zones with keypads.
- Expandable up to 18 zones by additional units

A-BT-1



- Wireless audio over BlueTooth.
- High-quality DAC.
- Analogue and digital outputs simultaneously.
- Auto-Pairing - Once the BT-1 establishes a BlueTooth connection with a device, it will remember and auto-connect when that device is in range.

A-WF-1



- WI-FI Music receiver
- Multi-room Audio (if multiple units used) allows synchronized audio in multiple rooms
- Play any song to any single device or group devices together
- Streaming from Spotify, Qplay, Deezer, Melon, TuneIn, iHeartRadio, etc.
- Local Music from phone or NAS.
- Multi-room Playing to up to 12 rooms.

A-955-BTC



- Single-Room: Play BlueTooth audio from your phone or iPad.
- Multiple Devices: Name the area and select it as you walk in.
- Streaming: Spotify, Qplay, Deezer, Melon, TuneIn, iHeartRadio, etc.
- Multi-room Playing: Connect to a multi-zone amplifier to listen in different rooms.

IR CONTROL

IR-5500B



- IR EXTENDER KIT
- COMPATIBLE WITH FOXTEL



AV DISTRIBUTION—AV SPLITTERS

VDA-4Cs



- COMPOSITE VIDEO & STEREO SPLITTER
- 1 IN TO 4 OUT

VDA-HDMI0102S



- 2 WAY HDMI SPLITTER
- 4K
- 3D

VDA-HDMI0104S



- 4 WAY HDMI SPLITTER
- 4K
- 3D

VDA-HDMI0102PRO



- 2 WAY HDMI SPLITTER
- 4K
- 3D

VDA-HDMI0104PRO



- 4 WAY HDMI SPLITTER
- 4K
- 3D

VGA-0104



- 4 WAY VGA SPLITTER
- 60M RANGE Z1 & Z2
- 100M RANGE ZONE 3 & ZONE 4

MATRIX

P-1420



- COMPONENT & AUDIO MATRIX
- 6 IN TO 4 OUT

P-1488



- COMPONENT & AUDIO MATRIX
- 8 IN TO 8 OUT

VDA-HDMI-0402PRO



- 4 IN 2 OUT HDMI MATRIX
- 4K
- AUDIO OUT

VDA-HDMI-0404PRO



- 4 IN 4 OUT HDMI MATRIX
- 4K
- AUDIO OUT

VDA-HDMI-0808PRO



- 8 IN 8 OUT HDMI MATRIX
- 4K
- AUDIO OUT

AV DISTRIBUTION CONTINUED — AV EXTENDERS

VDA-VGA-HC1



- VGA OVER CAT6 EXTENDER
- 250M
- I & R AUDIO

VDA-1265



- COMPOSITE AV EXTENDER OVER CAT5E

VDA-1276



- COMPONENT AV EXTENDER
- 1080i UPTO 50M

VDA-HC2



- 30M OVER CAT 6
- 4K
- 3D

VDA-HC3



- HDMI TO HDMI EXTENDER
- 20M RANGE
- 4K

VOLUME CONTROL

VC-100-12



- 12 STEP STEREO VOLUME CONTROL
- 100W
- 1 TO 8 OHM MATCHING

VC-212



- 2 SWITCH, IN WALL SPEAKER SELECTOR
- POWER HANDLING 100W MAX

C-1001



- 8 PAIR SPEAKER HUB

AV CONVERTORS

CO-2200



- ANALOGUE STEREO TO DIGITAL
- TOSSLINK OR SPDIF OUT
- RCA IN

TL-RCA



- DTS AND AC-3 AUDIO TO STEREO
- TOSSLINK & SPDIF IN
- RCA OUT

CO-2400



- HDMI TO VGA OR RGB & STEREO
- HDCP COMPLIANT
- UPTO 1080P

AV ADAPTORS — HDMI

1038



- RIGHT ANGLE HDMI MALE TO FEMAL ADAPTOR

1048



- HDMI TO DISPLAYPORT ADAPTOR

PAL ADAPTORS

3105



- PAL FEMALE TO PAL FEMALE ADAPTOR

3110



- PAL MALE TO PAL FEMALE ADAPTOR

PAL-1130



- PAL MALE TO PAL MALE ADAPTOR

TOSSLINK ADAPTORS

AD-TL-1218



- TOSLINK JOINER

VGA ADAPTORS

ADA-VGA-1324



- DISPLAY PORT TO VGA SOCKET ADAPTOR

ADA-VGA-MM



- VGA PLUG TO VGA PLUG

ADA-VGA-FF



- VGA SOCKET TO VGA SOCKET

F TYPE ADAPTORS

3106



- F FEMALE TO PAL FEMALE

3110



- F FEMALE TO PAL MALE

2107



- F FEMALE TO RCA FEMALE

2126



- F FEMALE TO RCA MALE

2102



- F FEMALE TO F FEMALE

2105



- BNC PLUG TO F SOCKET

ADA-FCON-6Q



- F TYPE COMPRESSION FOR RG6
- FOXTEL APPROVED

ADA-FCON-11Q



- F TYPE COMPRESSION FOR RG11
- FOXTEL APPROVED

MINI-JACK ADAPTORS

ADA-MINI-1500



- 3.5MM MONO PLUG TO 3.5MM STEREO SOCKET

ADA-MINI-1505



- 3.5MM STEREO PLUG TO 2 X 3.5MM STEREO IN

ADA-MINI-1510



- 3.5MM STEREO PLUG 1 X 3.5MM STEREO SOCKET

ADA-MINI-1515



- 3.5MM STEREO SOCKET TO 3.5MM STEREO SOCKET

ADA-MINI-1520



- 3.5MM MONO PLUG TO 6.35MM MONO SOCKET

ADA-MINI-1525



- 3.5MM MONO PLUG TO 1 X RCA SOCKET

ADA-MINI-1530



- 3.5MM STEREO PLUG TO 2 X RCA SOCKETS

ADA-MINI-1535



- 3.5MM STEREO PLUG TO 6.35MM STEREO SOCKET

ADA-MINI-1545



- 3.5MM STEREO PLUG TO 6.35MM STEREO SOCKET

AV ADAPTORS CONTINUED — RCA ADAPTORS

ADA-RCA-1605



- RCA SOCKET TO RCA SOCKET

ADA-RCA-2129



- RCA PLUG TO BNC SOCKET

ADA-RCA-1615



- RCA SOCKET TO XLR PLUG

BNC ADAPTORS

AD-BNC-2108



- BNC SOCKET TO BNC SOCKET

CV PLUS

On Site Support Vouchers for CCTV DVR Commissioning

We Come To You



CABLES — PATCH LEADS

HDMI VER2.0



- HIGH SPEED CABLE
 - WITH ETHERNET
 - UP TO 4K RESOLUTION
 - GOLD PLATED
 - AUDIO RETURN
 - 3D
 - 4K
- SIZES :
 - 1.5M
 - 3M
 - 5M
 - 10M
 - 15M
 - 20M

VGA



- 15PIN PLUG
 - MALE TO MALE
- SIZES :
 - 1.5M
 - 3M
 - 5M
 - 10M
 - 15M
 - 20M

CAT6E



- UNSHIELDED 24 GAUGE
 - 4 PAIR STRANDED
 - MULTIPLE COLOURS
 - RJ45 CONNECTOR
 - EIA/TIA568A
- SIZES :
 - 0.5M
 - 1M
 - 3M
 - 5M
 - 10M

VGA WITH AUDIO



- 15PIN AND 3.5MM STEREO PLUGS
 - MALE TO MALE
- SIZES :
 - 2M
 - 3M
 - 5M
 - 10M
 - 15M

USB A PLUG TO A SOCKET



- USB 2.0
- SIZES :
 - 2M
 - 5M

USB A PLUG TO B PLUG



- USB 2.0
- SIZES :
 - 2M
 - 5M

USB A PLUG TO A PLUG



- USB 2.0
- SIZES :
 - 1M
 - 2M
 - 5M

USB-AMP



- 5M ACTIVE USB EXTENTION LEAD
- USE MULTIPLE UNITS UP TO 25M
- USB 2.0

USB PA-1



- EXTEND USB OVER CAT5E
- MAXIMUM RANGE : 50M
- USB VERSION 1.1

TOSLINK



- MODELS :
 - TL-01
 - TL-02
 - TL-03
 - TL-05
 - TL-10
 - TL-15
- HIGH SPEED MULTI CHANNEL

COMPOSITE VIDEO & AUDIO



- 3 RCA TO 3 RCA
- MODELS :
 - COMPOS-0.5E
 - COMPOS-1E
 - COMPOS-2E
 - COMPOS-3E
 - COMPOS-5E
 - COMPOS-10E
 - COMPOS-15E
 - COMPOS-20E

COMPONENT VIDEO



- MALE TO MALE RCA PLUGS
 - HD RESOLUTION TO 1080P (DISTANCE DEPENDANT)
- MODELS :
 - COMPON-0.3E
 - COMPON-01E
 - COMPON-02E
 - COMPON-05E
 - COMPON-10E
 - COMPON-15E

3.5MM TO RCA STEREO



- 3.5MM MALE TO RCA MALE
- MODELS :
 - MINI-RCA-0.5
 - MINI-RCA-1
 - MINI-RCA-2
 - MINI-RCA-3
 - MINI-RCA-5
 - MINI-RCA-10
 - MINI-RCA-15
 - MINI-RCA-20

3.5MM TO 3.5MM STEREO



- 3.5MM MALE TO 3.5MM MALE
 - STEREO
- MODELS :
 - MJ-0.5
 - MJ-1
 - MJ-2
 - MJ-3
 - MJ-5
 - MJ-10
 - MJ-15
 - MJ-20



CABLES — PATCH LEADS CONTINUED

RF-PAL



- PAL

- FEMALE TO PAL FEMALE
- ADAPTOR INCLUDED
- 1.5M LENGTH

RF-PAL



- PAL

- MALE TO PAL MALE
- ADAPTOR INCLUDED
- 1.5M LENGTH

FP-2-6



- MALE
- 2M LENGTH

- PAL MALE TO F

FF-1-6, FF-3-6, FF-5-6



- FEMALE TO F MALE
- 1M, 3M & 5M LENGTHS


CABLES — ROLLS

CABL-SP-100



- SPEAKER CABLE
- 24 STRAND

CABL-4CORE-100



- 4 CORE SECURITY CABLE
- 100M ROLL

CABL-4CORE-300



- 4 CORE SECURITY CABLE
- 300M ROLL

CABL-7S-250



- 7 CORE SHIELDED CABLE
- 250M ROLL

CABL-RG59-100



- RG59 FOR CCTV
- 100M ROLL

CABL-RG6-100



- RG6 FOR TV DISTRIBUTION
- 100M ROLL

CABLE-CAT5E



- 305M ROLL
- VARIETY OF COLOURS


CABL-CAT6



- 305M ROLL
- VARIETY OF COLOURS

STRUCTURED CABLING

CV-0326



- AMPLIFIED TV SPLITTER
- 2 IN 6 OUT

CV-0438



- 4 LINES IN
- 7 EXTENSION PORTS

CV-0508



- 8 PORT CAT5E DATA PATCH PANEL

CV-202



- 1 INPUT / 2 OUTPUTS TV SPLITTER
- PASSIVE & POWER PASSING

CV-204



- 1 INPUT / 4 OUTPUTS TV SPLITTER
- PASSIVE & POWER PASSING

CV-113



- 30CM (H) ENCLOSURE
- FLUSH FIT, PLASTIC

CV-119



- 48CM (H) FLUSH FIT ENCLOSURE

CV-1312



- ENCLOSURE UNIVERSAL BRACKET



STRUCTURED CABLING CONTINUED

R-19PP-24/5



- CAT5E 24 PORT PATCH PANEL

R-19PP-24/6



- CAT6 24 PORT PATCH PANEL

R-19PP-24M




- 19" RACK CABLE MINDER

TV BRACKETS

TVB-L026

Ultra Slim LED, 3D LED, LCD, Plasma TV Wall Mounts




FIXED
VERDANT
TVB-L026


Features:

TVB-P43F

Classic LED, 3D LED, LCD, Plasma TV Wall Mounts




FIXED
VERDANT
TVB-P43F



TVB-33T

Classic LED, 3D LED, LCD, Plasma TV Wall Mounts




TILTING
VERDANT
TVB-33T

TVB-32-60



most
32"-60"
max
45kg/99lbs

FULL MOTION




TVB-PB3



ADJUSTABLE

Features :

1. 10kg capacity
2. Vertical Tilt: $\pm 15^\circ$
3. Horizontal Tilt: 15°
4. Adjustable between 250mm and 350mm from ceiling



INSERTS

G-IFPAL-W



- PAL TO F

G-IFC-W



- F TO F
- FOXTEL APPROVED

G-BLANK-W



- BLANK INSERT

G-SP-R



- SPEAKER WIRE INSERT
- RED

G-SP-B



- SPEAKER WIRE INSERT
- BLACK

G-HDMI-TW



- HDMI TO HDMI

G-C5-AW



- CAT5 INSERT

G-C6-AW



- CAT6 INSERT

G-USB-W



- USB Insert

G-RCA-YW



- RCA TO RCA YELLOW

G-RCA-GN



- RCA TO RCA GREEN

G-RCA-BE



- RCA TO RCA BLUE

G-RCA-RD



- RCA TO RCA RED

G-RCA-BK



- RCA TO RCA BLACK

G-RCA-WE



- RCA TO RCA WHITE

G-FRCA-YW



- RCA TO F TYPE YELLOW

G-FRCA-GN



- RCA TO F TYPE GREEN

G-FRCA-BE



- RCA TO F TYPE BLUE

G-FRCA-RD



- RCA TO F TYPE RED

G-RCAF-BK



- RCA TO F TYPE BLACK

G-FRCA-WE



- RCA TO F TYPE WHITE

G-MINI



- 3.5MM TO 3.5MM STEREO

K-FF



- F TYPE TO F TYPE. KEYSTONE TYPE

K-RJ45-5



- CAT5 INSERT, KEYSTONE TYPE

WALL PLATES

WP-CC-372-W



- HOME THEATER WALL PLATE
- SPEAKER TERMINALS
- BLANKS FOR KEYSTONE INSERTS

WP-GC5-W



- 4 GANG WALL PLATE KIT
- 2 X RJ45 INSERTS
- 2 F TYPE INSERTS

WP-BLANK-W



- BLANK WALL PLATE

WP-1G-W




- 1 GANG WALL PLATE

WP-2G-W



- 2 GANG WALL PLATE

WP-3G-W



- 3 GANG WALL PLATE

WP-4G-W



- 4 GANG WALL PLATE

WP-6G-W



- 6 GANG WALL PLATE

G-BN-W



- BULL NOSE WALL PLATE

G-BNR-W



- REVERSE BULL NOSE WALL PLATE

VGA-G010



- HDMI TO HDMI

VGA-G011



- HDMI TO HDMI
- USB TO USB

VGA-G012



- VGA TO VGA
- MINI-JACK TO MINI-JACK

VGA-G017



- VGA & AUDIO TO VGA & AUDIO
- HDMI TO HDMI
- USB TO USB

G-WP-BLOCK17



- 10 TO A BOX
- 17MM MOUNTING BLOCK

G-WP-BLOCK35



- 35MM MOUNTING BLOCK
- 10 TO A BOX

G-PC-01



- PLASTER BRACKETS
- 20 TO A BOX

POWER—POWER SUPPLIES

PSU-5VDC1000-USB



- 5VDC 1.0 AMP
- USB OUTPUT SOCKET

PSU-5VDC2500



- 2.1MM PLUG
- 5VDC 2.5 AMP

PSU-12VDC1000



- 2.1MM PLUG
- 12VDC 1.0AMP

PSU-12VDC2500



- 12VDC 2.5AMP
- 2.1MM PLUG

PSU-12VDC5000



- 2.1MM PLUG
- 12VDC 5.0 AMP

PSU-12VDC6000



- 2.1MM PLUG
- 12VDC 6.0AMP

PSU-24VAC1500



- 12VAC 1.5AMP
- ALARM PANEL SUPPLY

POWER LEADS

POW-IEC-1.8 and 1.8L



- 1.8M IEC CABLE, PLUG & SOCKET

POW-1.8CLOVER



- 1.8M CLOVER CABLE, PLUG & SOCKET

POW-FIG8-1.8



- 2M FIGURE 8 CABLE, PLUG & SOCKET

POWER BOARDS & DOUBLE ADAPTORS

POW-4BRD



- POWER BOARD
- 4 WAY, 10 AMP
- OVERLOAD PROTECTION

POW-6BRD



- 1.8M CLOVER CABLE, PLUG & SOCKET
- 6 WAY, 10 AMP
- OVERLOAD PROTECTION

POW-DA2L and DA2R



- DOUBLE ADAPTOR
- 2 WAY
- HORIZONTAL

POW-CWP2



- CLIP OVER DOUBLE WALL PLATE
- 2 USB PORTS
- NIGHT LIGHT
- 3.4 AMP

CHANNEL VISION is the leading supplier of RF components for whole-house audio/video distribution and control, surveillance, home automation, and home theater systems..

We built our reputation by consistently delivering high quality, low cost RF modulators and related components for the custom installation, satellite, security, and home builder markets.

As our valued customer, we promise to deliver excellent customer service, "top notch" tech support and highly regarded dealer programs. Our goal is to help you build your business by supplying reliable and predictable products that can be configured to meet the requirements of any system – today and into the future.

For help with our products call:

(03) 9017-6680

Fax : 9555-6335

Email : sales@cvplus.com.au

Website : www.cvplus.com.au